


surge
safeguard



your devices are safe
you feel more comfortable

ML MAKEL®

Electronic-Electrical devices under protection!

Shock-proof grounded outlet protects all kinds of electric-electronic devices such as, refrigerator; washing machines, oven, LED TV, computer from instantaneous shocks caused from the variation of mains voltage. Child protection feature also provides optimum security.

The protection function is active when the light indicator on the grounded socket is in "red" color. Because of continued protection mode, it protects devices from any kind of danger in this aspect all the time.

Surge Protective socket outlets has to red and green warning LEDs. Red colour protected instant changes in mains voltage against protective electronic circuit. Green colour, power and indicating protection.



General Specifications

- Easy usage,
- Thermal fuse,
- Child Protection,
- Automatically shuts down power to the connected devices,
- Suitable for multiple frame options, (Flush Mounted version)
- Protection against momentary voltage strikes, ($>6kV$),
- Protection in phase, neutral and earth lines,
- Neon light, (flashing light shows protection),
- Plastic covers on electricity contacts,
- Impact resistant polycarbonate (PC) body,
- LED indication lamps showing power and protection,
- Heavy operational conditions heavy duty 1.8m cable.

To consideration using by Surge Protective Socket Outlets

- Please refer to voltage and current values mentioned on the product and cover for usage.
- Do not connect with different brand surge protected socket outlets.
- For indoor and dry use only. Never contact with water, do not use in wet areas like bathroom, pool, etc.



2 YEARS
GUARANTEE



Surge Protected Group Socket

Technical Specifications

Heavy operational conditions heavy duty 1,8m cable

Maximum 1,400 joule maximum energy supply

32,500 A maximum current

Electronic device to protect against instantaneous changes in the mains voltage.

6 ea. child protected Schuko socket

Impact resistant polycarbon (PC) body

Thermal fuse switches

LED indication lamps showing power and protection

Surge-Protective Socket Outlet

Technical Specifications

Working values 250 V ~ / 50-60 Hz

16 A / 3600 W

Maximum Current Rise (In 8/20) 3600 Amperes

Maximum Voltage 6 Kv


Voltage Protection Level (up) 1.5 kV

Surge Protection Device Class III

16A Thermal Fuse

IP20 (Normal Protection) class

Electronic Circuit





Makel Elektrik Malzemeleri San. ve Tic. A.Ş.
Osmangazi Mah. Mareşal Fevzi Çakmak Cad.
No: 38 34522 Esenyurt - İSTANBUL
Tel: 0212. 689 50 50 (pbx) • Fax: 0212. 689 50 61
www.makel.com.tr • makel@makel.com.tr



[f /MakelSirketlerGrubu](#) [t /MakelSirketler](#) [i /MakelSirketlerGrubu](#)

